
dE/dx estimator 1
Entries 1952
Mean 3.288
Std Dev 0.5623
Entries 1521
Mean 3.255
Std Dev 0.6463
Entries 1507
Mean 3.249
Std Dev 0.6429
Entries 1501
Mean 3.256
Std Dev 0.6415
Entries 1489
Mean 3.256
Std Dev 0.6381
Ratio
dE/dx, harm2
dE/dx estimator 2
Entries 1952
Mean 3.052
Std Dev 0.6195
Entries 1521
Mean 3.047
Std Dev 0.715
Entries 1507
Mean 3.037
Std Dev 0.6975
Entries 1501
Mean 3.042
Std Dev 0.6993
Entries 1489
Mean 3.043
Std Dev 0.7026
Ratio
dE/dx, trunc40
DQM_mkFit_TT_retrain
DQM_mkFit_TT_NEWdefault_specPLess1
DQM_mkFit_TT_NEWdefault_specPLess2
DQM_mkFit_TT_NEWdefault_specPLess3
DQM_mkFit_TT_NEWdefault_specPLess4
Mean 9.3
Std Dev 3.951
Entries 1521
Mean 8.694
Std Dev 3.559
Entries 1507
Mean 8.734
Std Dev 3.544
Entries 1501
Mean 8.766
Std Dev 3.522
Entries 1489
Mean 8.811
Std Dev 3.504
Ratio
dE/dx number of measurements
Mean 0.564
Std Dev 0.8631
Entries 1521
Mean 0.5201
Std Dev 0.8228
Entries 1507
Mean 0.5143
Std Dev 0.8205
Entries 1501
Mean 0.5243
Std Dev 0.8261
Entries 1489
Mean 0.5212
Std Dev 0.8251
Ratio
dE/dx number of measurements with saturation