
dE/dx estimator 1
Entries 53061
Mean 3.019
Std Dev 0.9545
Entries 50412
Mean 3.071
Std Dev 0.9418
Entries 50412
Mean 3.071
Std Dev 0.9418
Entries 50412
Mean 3.071
Std Dev 0.9418
Entries 50412
Mean 3.071
Std Dev 0.9418
Ratio
dE/dx, harm2
dE/dx estimator 2
Entries 53061
Mean 2.804
Std Dev 0.9292
Entries 50412
Mean 2.874
Std Dev 0.934
Entries 50412
Mean 2.874
Std Dev 0.934
Entries 50412
Mean 2.874
Std Dev 0.934
Entries 50412
Mean 2.874
Std Dev 0.934
Ratio
dE/dx, trunc40
DQM_CKF_TTbar
DQM_mkFit_TTbarPU-updated
DQM_mkFit_TTbarPU-updated-newPLDNN
DQM_mkFit_TTbarPU-updated-newPLDNN-2
DQM_mkFit_TTbarPU-updated-TTbarDNN
Mean 9.057
Std Dev 4.995
Entries 50412
Mean 8.499
Std Dev 4.965
Entries 50412
Mean 8.499
Std Dev 4.965
Entries 50412
Mean 8.499
Std Dev 4.965
Entries 50412
Mean 8.499
Std Dev 4.965
Ratio
dE/dx number of measurements
Mean 0.5526
Std Dev 0.8513
Entries 50412
Mean 0.5225
Std Dev 0.8318
Entries 50412
Mean 0.5225
Std Dev 0.8318
Entries 50412
Mean 0.5225
Std Dev 0.8318
Entries 50412
Mean 0.5225
Std Dev 0.8318
Ratio
dE/dx number of measurements with saturation