
pull of p_t
pullPt
Std Dev 1.662
Constant 0.05784
Mean −0.04519
Sigma 1.321
pullPt
Std Dev 1.576
Constant 0.05884
Mean −0.04978
Sigma 1.305
pullPt
Std Dev 1.583
Constant 0.05879
Mean −0.05077
Sigma 1.305
Ratio


pull of qoverp parameter
pullQoverp
Std Dev 1.672
Constant 0.05715
Mean 0.003775
Sigma 1.333
pullQoverp
Std Dev 1.606
Constant 0.05808
Mean 0.0127
Sigma 1.322
pullQoverp
Std Dev 1.613
Constant 0.05803
Mean 0.01016
Sigma 1.323
Ratio


DQM_CKF_SoftQCD
DQM_mkFit_SoftQCD
DQM_mkFit_SoftQCD-fixCloner
pull of ϕ parameter
pullPhi
Std Dev 1.266
Constant 0.06954
Mean −0.004643
Sigma 1.119
pullPhi
Std Dev 1.206
Constant 0.07173
Mean −0.01504
Sigma 1.087
pullPhi
Std Dev 1.207
Constant 0.07178
Mean −0.01414
Sigma 1.087
Ratio


pull of θ parameter
pullTheta
Std Dev 1.142
Constant 0.08131
Mean 0.003443
Sigma 0.939
pullTheta
Std Dev 1.133
Constant 0.08069
Mean −0.004694
Sigma 0.9498
pullTheta
Std Dev 1.137
Constant 0.08084
Mean −0.00767
Sigma 0.9474
Ratio


pull of dxy parameter
pullDxy
Std Dev 1.159
Constant 0.07599
Mean 0.001489
Sigma 1.021
pullDxy
Std Dev 1.129
Constant 0.07825
Mean 0.01509
Sigma 0.9925
pullDxy
Std Dev 1.128
Constant 0.07837
Mean 0.0144
Sigma 0.9914
Ratio


pull of dz parameter
pullDz
Std Dev 1.08
Constant 0.08508
Mean −0.007124
Sigma 0.9007
pullDz
Std Dev 1.079
Constant 0.08458
Mean 0.001252
Sigma 0.9092
pullDz
Std Dev 1.079
Constant 0.08476
Mean 0.004443
Sigma 0.907
Ratio