
dE/dx estimator 1
Entries 1737
Mean 3.179
Std Dev 0.591
Entries 1737
Mean 3.179
Std Dev 0.591
Entries 1730
Mean 3.18
Std Dev 0.595
Entries 1726
Mean 3.182
Std Dev 0.6124
Entries 1741
Mean 3.177
Std Dev 0.5993
Entries 360
Mean 3.185
Std Dev 0.6081
Ratio
dE/dx, harm2
dE/dx estimator 2
Entries 1737
Mean 2.987
Std Dev 0.6117
Entries 1737
Mean 2.987
Std Dev 0.6117
Entries 1730
Mean 2.988
Std Dev 0.6208
Entries 1726
Mean 2.989
Std Dev 0.636
Entries 1741
Mean 2.985
Std Dev 0.624
Entries 360
Mean 2.977
Std Dev 0.5918
Ratio
dE/dx, trunc40
DQM_original_originalvector_1000evt
DQM_original_1000evt
DQM_fitted4_1000evt
DQM_fit_cpeOK_1000evt
DQM_fit_cpeOK_SORTRZ2_1000evt
DQM_fit_cpeOK_SORTRZ2_TESTOUTLIER_1000evt
Mean 8.815
Std Dev 3.931
Entries 1737
Mean 8.815
Std Dev 3.931
Entries 1730
Mean 8.812
Std Dev 3.926
Entries 1726
Mean 8.772
Std Dev 3.939
Entries 1741
Mean 8.759
Std Dev 3.919
Entries 360
Mean 9.103
Std Dev 4.13
Ratio
dE/dx number of measurements
Mean 0.5147
Std Dev 0.7972
Entries 1737
Mean 0.5147
Std Dev 0.7972
Entries 1730
Mean 0.5208
Std Dev 0.8031
Entries 1726
Mean 0.511
Std Dev 0.7966
Entries 1741
Mean 0.5083
Std Dev 0.7953
Entries 360
Mean 0.5222
Std Dev 0.7375
Ratio
dE/dx number of measurements with saturation