
dE/dx estimator 1
h_dedx_estim1
Entries 1995
Mean 2.687
Std Dev 1.506
h_dedx_estim1
Entries 2018
Mean 3.067
Std Dev 1.39
h_dedx_estim1
Entries 1969
Mean 3.052
Std Dev 1.389
h_dedx_estim1
Entries 1917
Mean 3.028
Std Dev 1.437
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 1995
Mean 2.57
Std Dev 1.522
h_dedx_estim2
Entries 2018
Mean 3.033
Std Dev 1.526
h_dedx_estim2
Entries 1969
Mean 3.012
Std Dev 1.507
h_dedx_estim2
Entries 1917
Mean 2.959
Std Dev 1.523
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckf__RECO
DQM_V0001_R000000001__Global__CMSSW_mkfit__RECO
DQM_V0001_R000000001__Global__CMSSW_mkfitLowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_mkfitLowPtTriplet__RECO
Entries 1995
Mean 6.432
Std Dev 5.829
h_dedx_nom1
Entries 2018
Mean 4.974
Std Dev 4.516
h_dedx_nom1
Entries 1969
Mean 4.971
Std Dev 4.534
h_dedx_nom1
Entries 1917
Mean 5.14
Std Dev 4.598
Ratio
dE/dx number of measurements
Entries 1995
Mean 0.382
Std Dev 0.7462
h_dedx_sat1
Entries 2018
Mean 0.2631
Std Dev 0.6044
h_dedx_sat1
Entries 1969
Mean 0.2519
Std Dev 0.5975
h_dedx_sat1
Entries 1917
Mean 0.2692
Std Dev 0.5961
Ratio
dE/dx number of measurements with saturation