
pull of p_t
pullPt
Std Dev 3.158
Constant 0.02727
Mean 0.05732
Sigma 2.599
pullPt
Std Dev 3.094
Constant 0.02846
Mean 0.1357
Sigma 2.488
pullPt
Std Dev 3.113
Constant 0.02826
Mean 0.1343
Sigma 2.492
pullPt
Std Dev 3.059
Constant 0.02913
Mean 0.1512
Sigma 2.427
pull of qoverp parameter
pullQoverp
Std Dev 3.161
Constant 0.02647
Mean 0.03603
Sigma 2.548
pullQoverp
Std Dev 3.104
Constant 0.02758
Mean 0.03399
Sigma 2.446
pullQoverp
Std Dev 3.122
Constant 0.02724
Mean 0.0347
Sigma 2.474
pullQoverp
Std Dev 3.079
Constant 0.02793
Mean 0.01244
Sigma 2.425
DQM V0001 R000000001 Global CMSSW clf RECO
DQM V0001 R000000001 Global CMSSW hlkIterLowPtQuad RECO
DQM V0001 R000000001 Global CMSSW hlkIterLowPtTriplet RECO
pull of ϕ parameter
pullPhi
Std Dev 2.103
Constant 0.04823
Mean −0.002724
Sigma 1.49
pullPhi
Std Dev 2.032
Constant 0.05017
Mean 0.01771
Sigma 1.437
pullPhi
Std Dev 2.007
Constant 0.05087
Mean 0.01498
Sigma 1.421
pullPhi
Std Dev 1.979
Constant 0.05109
Mean 0.01061
Sigma 1.417
pull of θ parameter
pullTheta
Std Dev 1.644
Constant 0.07036
Mean 0.004338
Sigma 1.032
pullTheta
Std Dev 1.564
Constant 0.07148
Mean −0.009979
Sigma 1.026
pullTheta
Std Dev 1.493
Constant 0.073
Mean −0.006519
Sigma 1.011
pullTheta
Std Dev 1.544
Constant 0.07231
Mean −0.01106
Sigma 1.017
pull of dxy parameter
pullDxy
Std Dev 1.895
Constant 0.05672
Mean 0.0005457
Sigma 1.273
pullDxy
Std Dev 1.81
Constant 0.0587
Mean −0.01522
Sigma 1.243
pullDxy
Std Dev 1.754
Constant 0.05947
Mean −0.01055
Sigma 1.233
pullDxy
Std Dev 1.773
Constant 0.0598
Mean −0.00951
Sigma 1.225
pull of dz parameter
pullDz
Std Dev 1.704
Constant 0.06849
Mean −0.01009
Sigma 1.055
pullDz
Std Dev 1.621
Constant 0.0683
Mean 0.007804
Sigma 1.063
pullDz
Std Dev 1.571
Constant 0.06927
Mean 0.003341
Sigma 1.056
pullDz
Std Dev 1.614
Constant 0.06857
Mean 0.009211
Sigma 1.059
Ratio