
pull of p_t
pullPt
Std Dev 2.411
Constant 0.04522
Mean 0.1086
Sigma 1.542
pullPt
Std Dev 2.26
Constant 0.04868
Mean 0.04435
Sigma 1.467
pullPt
Std Dev 2.392
Constant 0.0457
Mean 0.03204
Sigma 1.545
pullPt
Std Dev 2.383
Constant 0.04606
Mean 0.0197
Sigma 1.537
Ratio
pull of qoverp parameter
pullQoverp
Std Dev 2.055
Constant 0.05133
Mean −0.015
Sigma 1.395
pullQoverp
Std Dev 1.998
Constant 0.05251
Mean 0.03173
Sigma 1.382
pullQoverp
Std Dev 2.093
Constant 0.05028
Mean 0.03594
Sigma 1.425
pullQoverp
Std Dev 2.08
Constant 0.05035
Mean 0.02899
Sigma 1.433
Ratio
DQM V0001 R000000001 Global CMSSW clf RECO
DQM V0001 R000000001 Global CMSSW hlkIterLowPtQuad RECO
DQM V0001 R000000001 Global CMSSW hlkIterLowPtTriplet RECO
pull of ϕ parameter
pullPhi
Std Dev 2.215
Constant 0.04785
Mean −0.009111
Sigma 1.425
pullPhi
Std Dev 1.94
Constant 0.05645
Mean −0.007153
Sigma 1.237
pullPhi
Std Dev 2.102
Constant 0.05196
Mean −0.008292
Sigma 1.313
pullPhi
Std Dev 2.058
Constant 0.05327
Mean −0.01902
Sigma 1.286
Ratio
pull of θ parameter
pullTheta
Std Dev 1.988
Constant 0.06022
Mean 0.004821
Sigma 1.121
pullTheta
Std Dev 1.831
Constant 0.06479
Mean −0.009416
Sigma 1.071
pullTheta
Std Dev 1.944
Constant 0.06231
Mean 0.006764
Sigma 1.091
pullTheta
Std Dev 1.925
Constant 0.06272
Mean −0.006785
Sigma 1.083
Ratio
pull of dxy parameter
pullDxy
Std Dev 2.27
Constant 0.05088
Mean −0.009028
Sigma 1.287
pullDxy
Std Dev 1.996
Constant 0.05923
Mean 0.00293
Sigma 1.145
pullDxy
Std Dev 2.183
Constant 0.05404
Mean −0.001683
Sigma 1.221
pullDxy
Std Dev 2.13
Constant 0.05521
Mean 0.01379
Sigma 1.2
Ratio
pull of dz parameter
pullDz
Std Dev 2.058
Constant 0.0608
Mean −0.0006441
Sigma 1.111
pullDz
Std Dev 1.91
Constant 0.06454
Mean 0.002236
Sigma 1.077
pullDz
Std Dev 2.037
Constant 0.06164
Mean −0.009771
Sigma 1.105
pullDz
Std Dev 2.007
Constant 0.06214
Mean −0.004567
Sigma 1.096
Ratio