
pull of p_t
pullPt
Std Dev 2.08
Constant 0.04979
Mean −0.0468
Sigma 1.344
pullPt
Std Dev 2.633
Constant 0.04737
Mean −0.1282
Sigma 1.332
pullPt
Std Dev 2.636
Constant 0.04727
Mean −0.1355
Sigma 1.334
pullPt
Std Dev 2.636
Constant 0.04727
Mean −0.1355
Sigma 1.334
Ratio
pull of qoverp parameter
pullQoverp
Std Dev 2.189
Constant 0.05048
Mean −0.06244
Sigma 1.31
pullQoverp
Std Dev 2.534
Constant 0.04328
Mean −0.01104
Sigma 1.294
pullQoverp
Std Dev 2.536
Constant 0.04288
Mean −0.01136
Sigma 1.308
pullQoverp
Std Dev 2.536
Constant 0.04288
Mean −0.01136
Sigma 1.308
Ratio
DQM V0001 R000000001 Global CMSSW_ckfPU50_RECO
DQM V0001 R000000001 Global CMSSW_pixelPU50_RECOQuad__RECO
DQM V0001 R000000001 Global CMSSW_scm005+dup_RECO
DQM V0001 R000000001 Global CMSSW_scm005+dup_RECO
pull of ϕ parameter
pullPhi
Std Dev 1.914
Constant 0.05006
Mean 0.1607
Sigma 1.377
pullPhi
Std Dev 2.351
Constant 0.04945
Mean 0.03706
Sigma 1.248
pullPhi
Std Dev 2.359
Constant 0.04928
Mean 0.05758
Sigma 1.246
pullPhi
Std Dev 2.359
Constant 0.04928
Mean 0.05758
Sigma 1.246
Ratio
pull of θ parameter
pullTheta
Std Dev 1.554
Constant 0.07351
Mean 0.05668
Sigma 0.9131
pullTheta
Std Dev 1.683
Constant 0.06696
Mean 0.04443
Sigma 1.031
pullTheta
Std Dev 1.688
Constant 0.06765
Mean 0.03087
Sigma 1.017
pullTheta
Std Dev 1.688
Constant 0.06765
Mean 0.03087
Sigma 1.017
Ratio
pull of dxy parameter
pullDxy
Std Dev 1.955
Constant 0.05701
Mean −0.02394
Sigma 1.23
pullDxy
Std Dev 2.348
Constant 0.05325
Mean −0.1497
Sigma 1.089
pullDxy
Std Dev 2.357
Constant 0.05278
Mean −0.1561
Sigma 1.097
pullDxy
Std Dev 2.357
Constant 0.05278
Mean −0.1561
Sigma 1.097
Ratio
pull of dz parameter
pullDz
Std Dev 1.56
Constant 0.07249
Mean −0.07167
Sigma 0.9585
pullDz
Std Dev 1.638
Constant 0.07121
Mean 0.007899
Sigma 0.9397
pullDz
Std Dev 1.64
Constant 0.07127
Mean 0.009654
Sigma 0.9416
pullDz
Std Dev 1.64
Constant 0.07127
Mean 0.009654
Sigma 0.9416
Ratio