
pull of p_t
pullPt
Std Dev 1.934
Constant 0.05821
Mean −0.03142
Sigma 1.197
pullPt
Std Dev 2.07
Constant 0.05727
Mean −0.05572
Sigma 1.183
pullPt
Std Dev 2.07
Constant 0.05727
Mean −0.05572
Sigma 1.183
Ratio
pull of qoverp parameter
pullQoverp
Std Dev 2.062
Constant 0.05583
Mean 0.05395
Sigma 1.164
pullQoverp
Std Dev 2.16
Constant 0.0559
Mean 0.03535
Sigma 1.132
pullQoverp
Std Dev 2.16
Constant 0.0559
Mean 0.03535
Sigma 1.132
Ratio
DQM_V0001_R000000001__Global__CMSSW_ckfnocut3_RECO
DQM_V0001_R000000001__Global__CMSSW_mknocut3_RECO
DQM_V0001_R000000001__Global__CMSSW_mknocutinoclean3_RECO
pull of ϕ parameter
pullPhi
Std Dev 1.916
Constant 0.0496
Mean −0.003788
Sigma 1.354
pullPhi
Std Dev 1.973
Constant 0.05012
Mean 0.09129
Sigma 1.362
pullPhi
Std Dev 1.973
Constant 0.05012
Mean 0.09129
Sigma 1.362
Ratio
pull of θ parameter
pullTheta
Std Dev 1.533
Constant 0.06796
Mean −0.0699
Sigma 1.001
pullTheta
Std Dev 1.494
Constant 0.06425
Mean −0.08364
Sigma 1.058
pullTheta
Std Dev 1.494
Constant 0.06425
Mean −0.08364
Sigma 1.058
Ratio
pull of dxy parameter
pullDxy
Std Dev 2.011
Constant 0.05775
Mean −0.07273
Sigma 1.192
pullDxy
Std Dev 2.039
Constant 0.05382
Mean −0.09162
Sigma 1.33
pullDxy
Std Dev 2.039
Constant 0.05382
Mean −0.09162
Sigma 1.33
Ratio
pull of dz parameter
pullDz
Std Dev 1.532
Constant 0.07257
Mean −0.1293
Sigma 0.9186
pullDz
Std Dev 1.517
Constant 0.069
Mean −0.09986
Sigma 1.018
pullDz
Std Dev 1.517
Constant 0.069
Mean −0.09986
Sigma 1.018
Ratio