
dE/dx estimator 1
h_dedx_estim1
Entries 5144
Mean 3.078
Std Dev 1.128
h_dedx_estim1
Entries 4117
Mean 3.063
Std Dev 0.9646
h_dedx_estim1
Entries 4059
Mean 3.058
Std Dev 0.9596
h_dedx_estim1
Entries 4058
Mean 3.056
Std Dev 0.9569
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 5144
Mean 2.945
Std Dev 1.193
h_dedx_estim2
Entries 4117
Mean 2.894
Std Dev 1.002
h_dedx_estim2
Entries 4059
Mean 2.887
Std Dev 0.9997
h_dedx_estim2
Entries 4058
Mean 2.885
Std Dev 0.9959
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckfPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad-noBkwd__RECO
Entries 5144
Mean 7.29
Std Dev 4.896
h_dedx_nom1
Entries 4117
Mean 8.19
Std Dev 4.787
h_dedx_nom1
Entries 4059
Mean 8.202
Std Dev 4.784
h_dedx_nom1
Entries 4058
Mean 8.206
Std Dev 4.784
Ratio
dE/dx number of measurements
_sat1
Entries 5144
Mean 0.6592
Std Dev 0.9464
h_dedx_sat1
Entries 4117
Mean 0.7537
Std Dev 0.987
h_dedx_sat1
Entries 4059
Mean 0.7583
Std Dev 0.9905
h_dedx_sat1
Entries 4058
Mean 0.7597
Std Dev 0.9907
Ratio
dE/dx number of measurements with saturation