
dE/dx estimator 1
h_dedx_estim1
Entries 887
Mean 3.219
Std Dev 0.3789
h_dedx_estim1
Entries 1228
Mean 3.202
Std Dev 0.3935
h_dedx_estim1
Entries 1183
Mean 3.194
Std Dev 0.3791
h_dedx_estim1
Entries 1181
Mean 3.193
Std Dev 0.3778
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 887
Mean 2.946
Std Dev 0.3626
h_dedx_estim2
Entries 1228
Mean 2.925
Std Dev 0.3666
h_dedx_estim2
Entries 1183
Mean 2.92
Std Dev 0.349
h_dedx_estim2
Entries 1181
Mean 2.919
Std Dev 0.3468
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckfPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad-noBkwd__RECO
Entries 887
Mean 12.42
Std Dev 3.54
h_dedx_nom1
Entries 1228
Mean 12.86
Std Dev 3.456
h_dedx_nom1
Entries 1183
Mean 13.06
Std Dev 3.363
h_dedx_nom1
Entries 1181
Mean 13.06
Std Dev 3.362
Ratio
dE/dx number of measurements
_sat1
Entries 887
Mean 0.8625
Std Dev 1.006
h_dedx_sat1
Entries 1228
Mean 0.9267
Std Dev 1.029
h_dedx_sat1
Entries 1183
Mean 0.9239
Std Dev 1.026
h_dedx_sat1
Entries 1181
Mean 0.9246
Std Dev 1.026
Ratio
dE/dx number of measurements with saturation