
dE/dx estimator 1
h_dedx_estim1
Entries 817
Mean 3.249
Std Dev 0.3296
h_dedx_estim1
Entries 586
Mean 3.257
Std Dev 0.3514
h_dedx_estim1
Entries 593
Mean 3.249
Std Dev 0.3408
h_dedx_estim1
Entries 591
Mean 3.249
Std Dev 0.3413
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 817
Mean 2.976
Std Dev 0.3174
h_dedx_estim2
Entries 586
Mean 2.984
Std Dev 0.3321
h_dedx_estim2
Entries 593
Mean 2.977
Std Dev 0.3235
h_dedx_estim2
Entries 591
Mean 2.977
Std Dev 0.324
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckfPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad-noBkwd__RECO
Entries 817
Mean 11.83
Std Dev 3.094
h_dedx_nom1
Entries 586
Mean 11.03
Std Dev 2.848
h_dedx_nom1
Entries 593
Mean 10.97
Std Dev 2.829
h_dedx_nom1
Entries 591
Mean 10.97
Std Dev 2.82
Ratio
dE/dx number of measurements
_sat1
Entries 817
Mean 0.8274
Std Dev 1.046
h_dedx_sat1
Entries 586
Mean 0.7713
Std Dev 1.005
h_dedx_sat1
Entries 593
Mean 0.7268
Std Dev 0.9871
h_dedx_sat1
Entries 591
Mean 0.7242
Std Dev 0.9873
Ratio
dE/dx number of measurements with saturation