
dE/dx estimator 1
h_dedx_estim1
Entries 501374
Mean 2.94
Std Dev 1.118
h_dedx_estim1
Entries 499099
Mean 3.018
Std Dev 1.075
h_dedx_estim1
Entries 500737
Mean 3.019
Std Dev 1.079
h_dedx_estim1
Entries 500656
Mean 3.019
Std Dev 1.079
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 501374
Mean 2.742
Std Dev 1.09
h_dedx_estim2
Entries 499099
Mean 2.836
Std Dev 1.065
h_dedx_estim2
Entries 500737
Mean 2.839
Std Dev 1.07
h_dedx_estim2
Entries 500656
Mean 2.839
Std Dev 1.07
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckfPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad-noBkwd__RECO
Entries 501374
Mean 8.53
Std Dev 5.498
h_dedx_nom1
Entries 499099
Mean 7.611
Std Dev 4.961
h_dedx_nom1
Entries 500737
Mean 7.56
Std Dev 4.957
h_dedx_nom1
Entries 500656
Mean 7.56
Std Dev 4.957
Ratio
dE/dx number of measurements
_sat1
Entries 501374
Mean 0.4385
Std Dev 0.755
h_dedx_sat1
Entries 499099
Mean 0.3951
Std Dev 0.7118
h_dedx_sat1
Entries 500737
Mean 0.3927
Std Dev 0.71
h_dedx_sat1
Entries 500656
Mean 0.3928
Std Dev 0.7101
Ratio
dE/dx number of measurements with saturation