
dE/dx estimator 1
h_dedx_estim1
Entries 8787
Mean 3.041
Std Dev 1.291
h_dedx_estim1
Entries 8093
Mean 2.944
Std Dev 1.341
h_dedx_estim1
Entries 8014
Mean 2.949
Std Dev 1.323
h_dedx_estim1
Entries 8086
Mean 2.949
Std Dev 1.325
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 8787
Mean 2.886
Std Dev 1.31
h_dedx_estim2
Entries 8093
Mean 2.765
Std Dev 1.32
h_dedx_estim2
Entries 8014
Mean 2.766
Std Dev 1.297
h_dedx_estim2
Entries 8086
Mean 2.767
Std Dev 1.299
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckfPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad-noBkwd__RECO
Entries 8787
Mean 7.032
Std Dev 5.257
h_dedx_nom1
Entries 8093
Mean 7.584
Std Dev 5.381
h_dedx_nom1
Entries 8014
Mean 7.586
Std Dev 5.336
h_dedx_nom1
Entries 8086
Mean 7.58
Std Dev 5.343
Ratio
dE/dx number of measurements
_sat1
Entries 8787
Mean 0.4502
Std Dev 0.7982
h_dedx_sat1
Entries 8093
Mean 0.4866
Std Dev 0.8236
h_dedx_sat1
Entries 8014
Mean 0.4883
Std Dev 0.8292
h_dedx_sat1
Entries 8086
Mean 0.4863
Std Dev 0.8256
Ratio
dE/dx number of measurements with saturation