
dE/dx estimator 1
h_dedx_estim1
Entries 25163
Mean 3.253
Std Dev 0.7716
h_dedx_estim1
Entries 21601
Mean 3.134
Std Dev 0.8509
h_dedx_estim1
Entries 19453
Mean 3.137
Std Dev 0.7553
h_dedx_estim1
Entries 19537
Mean 3.137
Std Dev 0.7579
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 25163
Mean 3.009
Std Dev 0.7841
h_dedx_estim2
Entries 21601
Mean 2.885
Std Dev 0.8219
h_dedx_estim2
Entries 19453
Mean 2.878
Std Dev 0.722
h_dedx_estim2
Entries 19537
Mean 2.879
Std Dev 0.7251
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckfPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad-noBkwd__RECO
Entries 25163
Mean 10.68
Std Dev 4.921
h_dedx_nom1
Entries 21601
Mean 11.29
Std Dev 5.03
h_dedx_nom1
Entries 19453
Mean 11.85
Std Dev 4.704
h_dedx_nom1
Entries 19537
Mean 11.84
Std Dev 4.707
Ratio
dE/dx number of measurements
Entries 25163
Mean 0.5626
Std Dev 0.8462
h_dedx_sat1
Entries 21601
Mean 0.6367
Std Dev 0.8879
h_dedx_sat1
Entries 19453
Mean 0.6725
Std Dev 0.901
h_dedx_sat1
Entries 19537
Mean 0.6709
Std Dev 0.8997
Ratio
dE/dx number of measurements with saturation