
dE/dx estimator 1
h_dedx_estim1
Entries 18891
Mean 2.778
Std Dev 1.708
h_dedx_estim1
Entries 16624
Mean 2.826
Std Dev 1.639
h_dedx_estim1
Entries 17602
Mean 2.792
Std Dev 1.657
h_dedx_estim1
Entries 16399
Mean 2.823
Std Dev 1.642
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 18891
Mean 2.749
Std Dev 1.793
h_dedx_estim2
Entries 16624
Mean 2.773
Std Dev 1.705
h_dedx_estim2
Entries 17602
Mean 2.74
Std Dev 1.723
h_dedx_estim2
Entries 16399
Mean 2.769
Std Dev 1.706
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckfPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_LowptQnoSC_RECO
DQM_V0001_R000000001__Global__CMSSW_LowptQnoDC_RECO
Entries 18891
Mean 4.156
Std Dev 4.665
h_dedx_nom1
Entries 16624
Mean 4.615
Std Dev 4.853
h_dedx_nom1
Entries 17602
Mean 4.573
Std Dev 4.874
h_dedx_nom1
Entries 16399
Mean 4.633
Std Dev 4.869
Ratio
dE/dx number of measurements
Entries 18891
Mean 0.2701
Std Dev 0.6277
h_dedx_sat1
Entries 16624
Mean 0.2978
Std Dev 0.6597
h_dedx_sat1
Entries 17602
Mean 0.2931
Std Dev 0.653
h_dedx_sat1
Entries 16399
Mean 0.3
Std Dev 0.6626
Ratio
dE/dx number of measurements with saturation