
dE/dx estimator 1
h_dedx_estim1
Entries 779
Mean 3.161
Std Dev 0.5965
h_dedx_estim1
Entries 2082
Mean 3.224
Std Dev 0.4902
h_dedx_estim1
Entries 2083
Mean 3.224
Std Dev 0.4904
h_dedx_estim1
Entries 2084
Mean 3.224
Std Dev 0.49
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 779
Mean 2.949
Std Dev 0.537
h_dedx_estim2
Entries 2082
Mean 2.977
Std Dev 0.469
h_dedx_estim2
Entries 2083
Mean 2.976
Std Dev 0.469
h_dedx_estim2
Entries 2084
Mean 2.976
Std Dev 0.4689
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckfPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_LowptQnoSC_RECO
DQM_V0001_R000000001__Global__CMSSW_LowptQnoDC_RECO
Entries 779
Mean 10.99
Std Dev 3.891
h_dedx_nom1
Entries 2082
Mean 11.12
Std Dev 3.517
h_dedx_nom1
Entries 2083
Mean 11.13
Std Dev 3.511
h_dedx_nom1
Entries 2084
Mean 11.13
Std Dev 3.519
Ratio
dE/dx number of measurements
Entries 779
Mean 0.9499
Std Dev 1.06
h_dedx_sat1
Entries 2082
Mean 0.8972
Std Dev 1.037
h_dedx_sat1
Entries 2083
Mean 0.8997
Std Dev 1.038
h_dedx_sat1
Entries 2084
Mean 0.8973
Std Dev 1.037
Ratio
dE/dx number of measurements with saturation