
pull of p_t
pullPt
Std Dev 3.433
Constant 0.02536
Mean −0.1609
Sigma 2.563
pullPt
Std Dev 3.318
Constant 0.024
Mean −0.01543
Sigma 2.803
pullPt
Std Dev 3.19
Constant 0.02637
Mean −0.07654
Sigma 2.606
pull of qoverp parameter
pullQoverp
Std Dev 3.465
Constant 0.02352
Mean −0.1309
Sigma 2.501
pullQoverp
Std Dev 3.383
Constant 0.02156
Mean −0.1322
Sigma 2.773
pullQoverp
Std Dev 3.242
Constant 0.02433
Mean −0.1723
Sigma 2.54
DQM_V0001_R000000001__Global__CMSSW_ckfPU50__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitPU50LowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_LowptQnoclean__RECO
pull of ϕ parameter
pullPhi
Std Dev 2.236
Constant 0.04297
Mean 0.07275
Sigma 1.606
pullPhi
Std Dev 2.263
Constant 0.04566
Mean −0.01923
Sigma 1.467
pullPhi
Std Dev 2.207
Constant 0.04845
Mean −0.03353
Sigma 1.393
pull of θ parameter
pullTheta
Std Dev 1.276
Constant 0.07814
Mean −0.02227
Sigma 0.9471
pullTheta
Std Dev 1.348
Constant 0.07539
Mean −0.03987
Sigma 0.9947
pullTheta
Std Dev 1.285
Constant 0.07484
Mean −0.02888
Sigma 1.007
pull of dxy parameter
pullDxy
Std Dev 2.005
Constant 0.0509
Mean −0.01608
Sigma 1.373
pullDxy
Std Dev 1.965
Constant 0.05324
Mean −0.03571
Sigma 1.324
pullDxy
Std Dev 1.963
Constant 0.05489
Mean −0.03586
Sigma 1.288
pull of dz parameter
pullDz
Std Dev 1.324
Constant 0.07775
Mean 0.021
Sigma 0.9451
pullDz
Std Dev 1.453
Constant 0.07072
Mean 0.04147
Sigma 1.04
pullDz
Std Dev 1.421
Constant 0.07115
Mean 0.03461
Sigma 1.035
Ratio