
dE/dx estimator 1
h_dedx_estim1
Entries 26779
Mean 3.32
Std Dev 0.6559
h_dedx_estim1
Entries 28228
Mean 3.315
Std Dev 0.6405
h_dedx_estim1
Entries 28784
Mean 3.316
Std Dev 0.6406
h_dedx_estim1
Entries 28452
Mean 3.314
Std Dev 0.6384
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 26779
Mean 3.106
Std Dev 0.7092
h_dedx_estim2
Entries 28228
Mean 3.095
Std Dev 0.6908
h_dedx_estim2
Entries 28784
Mean 3.096
Std Dev 0.6926
h_dedx_estim2
Entries 28452
Mean 3.094
Std Dev 0.6886
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__CMSSW_ckf__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitOriginal__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitLowPtQuad__RECO
DQM_V0001_R000000001__Global__CMSSW_mkFitLowPtTriplet__RECO
Entries 26779
Mean 8.369
Std Dev 3.789
h_dedx_nom1
Entries 28228
Mean 8.716
Std Dev 3.881
h_dedx_nom1
Entries 28784
Mean 8.687
Std Dev 3.89
h_dedx_nom1
Entries 28452
Mean 8.727
Std Dev 3.889
Ratio
dE/dx number of measurements
Entries 26779
Mean 0.7918
Std Dev 0.9566
h_dedx_sat1
Entries 28228
Mean 0.7921
Std Dev 0.9608
h_dedx_sat1
Entries 28784
Mean 0.7921
Std Dev 0.9614
h_dedx_sat1
Entries 28452
Mean 0.7932
Std Dev 0.9617
Ratio
dE/dx number of measurements with saturation