
pull of p_t
pullPt
Std Dev 1.456
Constant 0.0697
Mean −0.04195
Sigma 1.061
pullPt
Std Dev 1.472
Constant 0.06958
Mean 0.02068
Sigma 1.086
pullPt
Std Dev 1.466
Constant 0.06975
Mean 0.02826
Sigma 1.084
pullPt
Std Dev 1.478
Constant 0.06927
Mean 0.02153
Sigma 1.09
Ratio
pull of qoverp parameter
pullQoverp
Std Dev 1.514
Constant 0.07054
Mean 0.00808
Sigma 1.065
pullQoverp
Std Dev 1.513
Constant 0.06952
Mean −0.01948
Sigma 1.086
pullQoverp
Std Dev 1.511
Constant 0.06968
Mean −0.01435
Sigma 1.081
pullQoverp
Std Dev 1.516
Constant 0.06918
Mean −0.01712
Sigma 1.091
Ratio
DQM V0001 R000000001 Global CMSSW_ckf_Normal_RECO
DQM V0001 R000000001 Global CMSSW_ckf_LowPtQuad_RECO
DQM V0001 R000000001 Global CMSSW_ckf_LowPtTriplet_RECO
pull of ϕ parameter
pullPhi
Std Dev 1.452
Constant 0.06532
Mean −0.005398
Sigma 1.121
pullPhi
Std Dev 1.433
Constant 0.06654
Mean −0.02913
Sigma 1.143
pullPhi
Std Dev 1.43
Constant 0.06678
Mean −0.02254
Sigma 1.139
pullPhi
Std Dev 1.433
Constant 0.0664
Mean −0.02134
Sigma 1.146
Ratio
pull of θ parameter
pullTheta
Std Dev 1.484
Constant 0.06315
Mean −0.0002141
Sigma 1.155
pullTheta
Std Dev 1.434
Constant 0.06427
Mean −0.02326
Sigma 1.177
pullTheta
Std Dev 1.425
Constant 0.06457
Mean −0.03016
Sigma 1.174
pullTheta
Std Dev 1.427
Constant 0.06396
Mean −0.02248
Sigma 1.183
Ratio
pull of dxy parameter
pullDxy
Std Dev 1.464
Constant 0.06977
Mean 0.01916
Sigma 1.045
pullDxy
Std Dev 1.486
Constant 0.06762
Mean 0.03207
Sigma 1.108
pullDxy
Std Dev 1.492
Constant 0.06738
Mean 0.0251
Sigma 1.113
pullDxy
Std Dev 1.485
Constant 0.06748
Mean 0.0234
Sigma 1.114
Ratio
pull of dz parameter
pullDz
Std Dev 1.982
Constant 0.06043
Mean −0.02943
Sigma 1.156
pullDz
Std Dev 1.736
Constant 0.06201
Mean 0.01321
Sigma 1.177
pullDz
Std Dev 1.73
Constant 0.06201
Mean 0.01734
Sigma 1.18
pullDz
Std Dev 1.732
Constant 0.06184
Mean 0.01509
Sigma 1.181
Ratio