
pull of p_t
pullPt
Std Dev 1.513
Constant 0.06698
Mean −0.04777
Sigma 1.092
pullPt
Std Dev 1.49
Constant 0.0688
Mean 0.02065
Sigma 1.093
pullPt
Std Dev 1.483
Constant 0.06899
Mean 0.02904
Sigma 1.092
pullPt
Std Dev 1.495
Constant 0.06852
Mean 0.02115
Sigma 1.097
Ratio
pull of qoverp parameter
pullQoverp
Std Dev 1.598
Constant 0.06815
Mean −0.003201
Sigma 1.086
pullQoverp
Std Dev 1.541
Constant 0.06837
Mean −0.02305
Sigma 1.1
pullQoverp
Std Dev 1.538
Constant 0.06854
Mean −0.01717
Sigma 1.095
pullQoverp
Std Dev 1.543
Constant 0.06807
Mean −0.02004
Sigma 1.105
Ratio
DQM V0001 R000000001 Global CMSSW_ckf_RECO
DQM V0001 R000000001 Global CMSSW_ckf_Original_RECO
DQM V0001 R000000001 Global CMSSW_hlkFitLowPtQuad_RECO
DQM V0001 R000000001 Global CMSSW_hlkFitLowPtTriplet_RECO
pull of ϕ parameter
pullPhi
Std Dev 1.48
Constant 0.06399
Mean −0.02088
Sigma 1.145
pullPhi
Std Dev 1.443
Constant 0.06622
Mean −0.03721
Sigma 1.148
pullPhi
Std Dev 1.445
Constant 0.06639
Mean −0.03062
Sigma 1.145
pullPhi
Std Dev 1.443
Constant 0.06611
Mean −0.02949
Sigma 1.15
Ratio
pull of θ parameter
pullTheta
Std Dev 1.471
Constant 0.0639
Mean −0.003258
Sigma 1.143
pullTheta
Std Dev 1.436
Constant 0.06457
Mean −0.02758
Sigma 1.172
pullTheta
Std Dev 1.42
Constant 0.06487
Mean −0.03478
Sigma 1.169
pullTheta
Std Dev 1.429
Constant 0.06428
Mean −0.02784
Sigma 1.178
Ratio
pull of dxy parameter
pullDxy
Std Dev 1.496
Constant 0.069
Mean 0.0253
Sigma 1.054
pullDxy
Std Dev 1.489
Constant 0.06759
Mean 0.03965
Sigma 1.109
pullDxy
Std Dev 1.495
Constant 0.06732
Mean 0.03342
Sigma 1.113
pullDxy
Std Dev 1.488
Constant 0.06746
Mean 0.03141
Sigma 1.114
Ratio
pull of dz parameter
pullDz
Std Dev 1.979
Constant 0.06028
Mean −0.006138
Sigma 1.158
pullDz
Std Dev 1.744
Constant 0.06189
Mean 0.01604
Sigma 1.181
pullDz
Std Dev 1.739
Constant 0.06189
Mean 0.01949
Sigma 1.183
pullDz
Std Dev 1.739
Constant 0.06183
Mean 0.01706
Sigma 1.182
Ratio