
pull of p_t
pullPt
Std Dev 3.305
Constant 0.02485
Mean −0.005927
Sigma 2.726
pullPt
Std Dev 3.313
Constant 0.02482
Mean −0.02152
Sigma 2.713
pullPt
Std Dev 3.31
Constant 0.02479
Mean −0.02679
Sigma 2.72
pullPt
Std Dev 3.31
Constant 0.02479
Mean −0.02679
Sigma 2.72
Ratio
pull of qoverp parameter
pullQoverp
Std Dev 3.381
Constant 0.02257
Mean −0.1282
Sigma 2.634
pullQoverp
Std Dev 3.388
Constant 0.02334
Mean −0.1145
Sigma 2.519
pullQoverp
Std Dev 3.386
Constant 0.02253
Mean −0.1367
Sigma 2.632
pullQoverp
Std Dev 3.386
Constant 0.02253
Mean −0.1367
Sigma 2.632
Ratio
DQM_V0001_R000000001__Global__mkFitMISSINNER__RECO
DQM_V0001_R000000001__Global__mkFitMISSOUTER__RECO
DQM_V0001_R000000001__Global__mkFitINOMERS__RECO
pull of ϕ parameter
pullPhi
Std Dev 2.277
Constant 0.04612
Mean 0.008667
Sigma 1.479
pullPhi
Std Dev 2.279
Constant 0.04599
Mean 0.0064
Sigma 1.486
pullPhi
Std Dev 2.278
Constant 0.04603
Mean 0.006135
Sigma 1.484
pullPhi
Std Dev 2.278
Constant 0.04603
Mean 0.006135
Sigma 1.484
Ratio
pull of θ parameter
pullTheta
Std Dev 1.325
Constant 0.07532
Mean −0.03221
Sigma 0.9921
pullTheta
Std Dev 1.33
Constant 0.07502
Mean −0.02982
Sigma 0.9962
pullTheta
Std Dev 1.328
Constant 0.07512
Mean −0.03116
Sigma 0.9945
pullTheta
Std Dev 1.328
Constant 0.07512
Mean −0.03116
Sigma 0.9945
Ratio
pull of dxy parameter
pullDxy
Std Dev 1.999
Constant 0.05426
Mean −0.03256
Sigma 1.286
pullDxy
Std Dev 1.999
Constant 0.05424
Mean −0.03214
Sigma 1.289
pullDxy
Std Dev 1.988
Constant 0.05421
Mean −0.03233
Sigma 1.288
pullDxy
Std Dev 1.988
Constant 0.05421
Mean −0.03233
Sigma 1.288
Ratio
pull of dz parameter
pullDz
Std Dev 1.463
Constant 0.07153
Mean 0.03732
Sigma 1.024
pullDz
Std Dev 1.468
Constant 0.07119
Mean 0.03599
Sigma 1.028
pullDz
Std Dev 1.466
Constant 0.07135
Mean 0.03797
Sigma 1.026
pullDz
Std Dev 1.466
Constant 0.07135
Mean 0.03797
Sigma 1.026
Ratio