
dE/dx estimator 1
h_dedx_estim1
Entries 120129
Mean 2.769
Std Dev 1.326
h_dedx_estim1
Entries 120102
Mean 2.768
Std Dev 1.327
h_dedx_estim1
Entries 120110
Mean 2.768
Std Dev 1.327
h_dedx_estim1
Entries 120110
Mean 2.768
Std Dev 1.327
h_dedx_estim1
Entries 120110
Mean 2.768
Std Dev 1.327
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 120129
Mean 2.608
Std Dev 1.295
h_dedx_estim2
Entries 120102
Mean 2.608
Std Dev 1.295
h_dedx_estim2
Entries 120110
Mean 2.608
Std Dev 1.296
h_dedx_estim2
Entries 120110
Mean 2.608
Std Dev 1.296
h_dedx_estim2
Entries 120110
Mean 2.608
Std Dev 1.296
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__mkFitMISSINNER__RECO
DQM_V0001_R000000001__Global__mkFitMISSOUTER__RECO
DQM_V0001_R000000001__Global__mkFitBADINNER__RECO
DQM_V0001_R000000001__Global__mkFitBADOUTER__RECO
DQM_V0001_R000000001__Global__mkFitNOMEAS__RECO
Entries 120129
Mean 7.049
Std Dev 5.357
h_dedx_nom1
Entries 120102
Mean 7.05
Std Dev 5.358
h_dedx_nom1
Entries 120110
Mean 7.05
Std Dev 5.358
h_dedx_nom1
Entries 120110
Mean 7.05
Std Dev 5.358
h_dedx_nom1
Entries 120110
Mean 7.05
Std Dev 5.358
Ratio
dE/dx number of measurements
_sat1
Entries 120129
Mean 0.4234
Std Dev 0.7677
h_dedx_sat1
Entries 120102
Mean 0.4235
Std Dev 0.7679
h_dedx_sat1
Entries 120110
Mean 0.4234
Std Dev 0.7678
h_dedx_sat1
Entries 120110
Mean 0.4234
Std Dev 0.7678
h_dedx_sat1
Entries 120110
Mean 0.4234
Std Dev 0.7678
Ratio
dE/dx number of measurements with saturation