
pull of p_t
pullPt
Std Dev 1.751
Constant 0.06087
Mean −0.03052
Sigma 1.167
pullPt
Std Dev 1.841
Constant 0.06204
Mean −0.05069
Sigma 1.161
pullPt
Std Dev 1.841
Constant 0.06067
Mean −0.0669
Sigma 1.193
pull of qoverp parameter
pullQoverp
Std Dev 1.736
Constant 0.06127
Mean 0.03083
Sigma 1.18
pullQoverp
Std Dev 1.797
Constant 0.05839
Mean 0.01149
Sigma 1.202
pullQoverp
Std Dev 1.798
Constant 0.05829
Mean 0.0147
Sigma 1.202
DQM_V0001_R000000001__Global__ctfWithMaterialTracksP5__RECO
DQM_V0001_R000000001__Global__mkFitOrigin__RECO
DQM_V0001_R000000001__Global__mkFitNewALL__RECO
pull of ϕ parameter
pullPhi
Std Dev 1.664
Constant 0.065
Mean 0.01414
Sigma 1.101
pullPhi
Std Dev 1.74
Constant 0.06616
Mean 0.004268
Sigma 1.084
pullPhi
Std Dev 1.747
Constant 0.06618
Mean 0.02217
Sigma 1.08
pull of θ parameter
pullTheta
Std Dev 1.247
Constant 0.08202
Mean 0.009515
Sigma 0.8943
pullTheta
Std Dev 1.29
Constant 0.08167
Mean −0.01322
Sigma 0.9182
pullTheta
Std Dev 1.282
Constant 0.08149
Mean 0.0008551
Sigma 0.9225
pull of dxy parameter
pullDxy
Std Dev 1.649
Constant 0.07403
Mean −0.01518
Sigma 0.9495
pullDxy
Std Dev 1.659
Constant 0.06921
Mean 0.007881
Sigma 1.021
pullDxy
Std Dev 1.649
Constant 0.06994
Mean −0.01845
Sigma 1.013
pull of dz parameter
pullDz
Std Dev 1.234
Constant 0.08857
Mean −0.03873
Sigma 0.8259
pullDz
Std Dev 1.195
Constant 0.08485
Mean −0.01731
Sigma 0.8814
pullDz
Std Dev 1.184
Constant 0.08493
Mean −0.01573
Sigma 0.8832
Ratio