
dE/dx estimator 1
h_dedx_estim1
Entries 421
Mean 3.177
Std Dev 0.5825
h_dedx_estim1
Entries 421
Mean 3.169
Std Dev 0.6007
h_dedx_estim1
Entries 421
Mean 3.169
Std Dev 0.6007
h_dedx_estim1
Entries 419
Mean 3.176
Std Dev 0.5835
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 421
Mean 2.936
Std Dev 0.5774
h_dedx_estim2
Entries 421
Mean 2.928
Std Dev 0.593
h_dedx_estim2
Entries 421
Mean 2.928
Std Dev 0.593
h_dedx_estim2
Entries 419
Mean 2.935
Std Dev 0.5783
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__mkFitOriginal__RECO
DQM_V0001_R000000001__Global__mkFitNewDett__RECO
DQM_V0001_R000000001__Global__mkFitNewDett33__RECO
DQM_V0001_R000000001__Global__mkFitNewDett04__RECO
Entries 421
Mean 9.986
Std Dev 3.656
h_dedx_nom1
Entries 421
Mean 9.974
Std Dev 3.68
h_dedx_nom1
Entries 421
Mean 9.974
Std Dev 3.68
h_dedx_nom1
Entries 419
Mean 9.998
Std Dev 3.657
Ratio
dE/dx number of measurements
Entries 421
Mean 0.6722
Std Dev 0.8729
h_dedx_sat1
Entries 421
Mean 0.6698
Std Dev 0.8733
h_dedx_sat1
Entries 421
Mean 0.6698
Std Dev 0.8733
h_dedx_sat1
Entries 419
Mean 0.6683
Std Dev 0.8724
Ratio
dE/dx number of measurements with saturation