
dE/dx estimator 1
h_dedx_estim1
Entries 181507
Mean 1.818
Std Dev 1.772
h_dedx_estim1
Entries 181516
Mean 1.817
Std Dev 1.772
h_dedx_estim1
Entries 181513
Mean 1.818
Std Dev 1.772
h_dedx_estim1
Entries 181528
Mean 1.812
Std Dev 1.772
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 181507
Mean 1.756
Std Dev 1.746
h_dedx_estim2
Entries 181516
Mean 1.755
Std Dev 1.746
h_dedx_estim2
Entries 181513
Mean 1.756
Std Dev 1.746
h_dedx_estim2
Entries 181528
Mean 1.75
Std Dev 1.746
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__mkFitOriginal__RECO
DQM_V0001_R000000001__Global__mkFitNewDett__RECO
DQM_V0001_R000000001__Global__mkFitNewDett33__RECO
DQM_V0001_R000000001__Global__mkFitNewDetNoF__RECO
Entries 181507
Mean 3.081
Std Dev 4.508
h_dedx_nom1
Entries 181516
Mean 3.081
Std Dev 4.508
h_dedx_nom1
Entries 181513
Mean 3.081
Std Dev 4.508
h_dedx_nom1
Entries 181528
Mean 3.076
Std Dev 4.51
Ratio
dE/dx number of measurements
_sat1
Entries 181507
Mean 0.1383
Std Dev 0.434
h_dedx_sat1
Entries 181516
Mean 0.1382
Std Dev 0.434
h_dedx_sat1
Entries 181513
Mean 0.1383
Std Dev 0.434
h_dedx_sat1
Entries 181528
Mean 0.1377
Std Dev 0.4331
Ratio
dE/dx number of measurements with saturation