
dE/dx estimator 1
h_dedx_estim1
Entries 1351
Mean 3.109
Std Dev 0.8223
h_dedx_estim1
Entries 1357
Mean 3.107
Std Dev 0.8256
h_dedx_estim1
Entries 1355
Mean 3.107
Std Dev 0.826
h_dedx_estim1
Entries 1364
Mean 3.107
Std Dev 0.8249
Ratio
dE/dx, harm2
dE/dx estimator 2
h_dedx_estim2
Entries 1351
Mean 2.897
Std Dev 0.8172
h_dedx_estim2
Entries 1357
Mean 2.895
Std Dev 0.8199
h_dedx_estim2
Entries 1355
Mean 2.895
Std Dev 0.8202
h_dedx_estim2
Entries 1364
Mean 2.899
Std Dev 0.8283
Ratio
dE/dx, trunc40
DQM_V0001_R000000001__Global__mkFitOriginal__RECO
DQM_V0001_R000000001__Global__mkFitNewDett__RECO
DQM_V0001_R000000001__Global__mkFitNewDett33__RECO
DQM_V0001_R000000001__Global__mkFitNewDetNoF__RECO
Entries 1351
Mean 8.722
Std Dev 4.455
h_dedx_nom1
Entries 1357
Mean 8.706
Std Dev 4.46
h_dedx_nom1
Entries 1355
Mean 8.716
Std Dev 4.456
h_dedx_nom1
Entries 1364
Mean 8.685
Std Dev 4.47
Ratio
dE/dx number of measurements
_sat1
Entries 1351
Mean 0.8579
Std Dev 1.028
h_dedx_sat1
Entries 1357
Mean 0.8578
Std Dev 1.027
h_dedx_sat1
Entries 1355
Mean 0.8583
Std Dev 1.028
h_dedx_sat1
Entries 1364
Mean 0.8548
Std Dev 1.025
Ratio
dE/dx number of measurements with saturation