
pull of p_t
pullPt
Std Dev 1.621
Constant 0.05527
Mean 0.07895
Sigma 1.32
pullPt
Std Dev 1.621
Constant 0.05522
Mean 0.07635
Sigma 1.32
pullPt
Std Dev 1.621
Constant 0.05522
Mean 0.07635
Sigma 1.32
pullPt
Std Dev 1.62
Constant 0.05543
Mean 0.08354
Sigma 1.318
pull of qoverp parameter
pullQoverp
Std Dev 1.6
Constant 0.05748
Mean −0.001904
Sigma 1.272
pullQoverp
Std Dev 1.6
Constant 0.05749
Mean −0.004934
Sigma 1.272
pullQoverp
Std Dev 1.6
Constant 0.05749
Mean −0.004934
Sigma 1.272
pullQoverp
Std Dev 1.6
Constant 0.05749
Mean 0.0003312
Sigma 1.271
DQM V0001 R000000001 Global mkFitOriginal RECO
DQM V0001 R000000001 Global mkFitNewDetIn33 RECO
DQM V0001 R000000001 Global mkFitNewDetNoF RECO
pull of ϕ parameter
pullPhi
Std Dev 1.489
Constant 0.06611
Mean 0.1331
Sigma 1.082
pullPhi
Std Dev 1.487
Constant 0.06619
Mean 0.1317
Sigma 1.08
pullPhi
Std Dev 1.487
Constant 0.06619
Mean 0.1317
Sigma 1.08
pullPhi
Std Dev 1.487
Constant 0.06613
Mean 0.1345
Sigma 1.081
pull of θ parameter
pullTheta
Std Dev 1.394
Constant 0.06941
Mean 0.02572
Sigma 1.039
pullTheta
Std Dev 1.393
Constant 0.06945
Mean 0.02313
Sigma 1.039
pullTheta
Std Dev 1.393
Constant 0.06945
Mean 0.02313
Sigma 1.039
pullTheta
Std Dev 1.392
Constant 0.06954
Mean 0.02529
Sigma 1.037
pull of dxy parameter
pullDxy
Std Dev 1.619
Constant 0.06227
Mean −0.0788
Sigma 1.13
pullDxy
Std Dev 1.618
Constant 0.06229
Mean −0.07875
Sigma 1.129
pullDxy
Std Dev 1.618
Constant 0.06229
Mean −0.07875
Sigma 1.129
pullDxy
Std Dev 1.618
Constant 0.06229
Mean −0.07949
Sigma 1.129
pull of dz parameter
pullDz
Std Dev 1.897
Constant 0.06263
Mean −0.1336
Sigma 1.081
pullDz
Std Dev 1.895
Constant 0.06266
Mean −0.132
Sigma 1.08
pullDz
Std Dev 1.895
Constant 0.06266
Mean −0.132
Sigma 1.08
pullDz
Std Dev 1.895
Constant 0.06282
Mean −0.1317
Sigma 1.079
Ratio