
pull of p_t
pullPt
Std Dev 1.421
Constant 0.06614
Mean 0.1071
Sigma 1.168
pullPt
Std Dev 1.421
Constant 0.06614
Mean 0.1071
Sigma 1.168
pullPt
Std Dev 1.423
Constant 0.0661
Mean 0.1074
Sigma 1.168
pullPt
Std Dev 1.421
Constant 0.06614
Mean 0.1071
Sigma 1.168
pullPt
Std Dev 1.421
Constant 0.06612
Mean 0.1075
Sigma 1.168
Ratio
pull of qoverp parameter
pullQoverp
Std Dev 1.466
Constant 0.0642
Mean −0.0149
Sigma 1.196
pullQoverp
Std Dev 1.465
Constant 0.06419
Mean −0.01493
Sigma 1.196
pullQoverp
Std Dev 1.468
Constant 0.06416
Mean −0.01421
Sigma 1.197
pullQoverp
Std Dev 1.466
Constant 0.0642
Mean −0.0149
Sigma 1.196
pullQoverp
Std Dev 1.466
Constant 0.06416
Mean −0.01437
Sigma 1.197
Ratio
DQM_V0001_R000000001__Global__mkFitOriginal__RECO
DQM_V0001_R000000001__Global__mkFitNewBeff__RECO
DQM_V0001_R000000001__Global__mkFitNewBeff__RECO
pull of ϕ parameter
pullPhi
Std Dev 1.197
Constant 0.07662
Mean −0.02342
Sigma 1.003
pullPhi
Std Dev 1.196
Constant 0.07662
Mean −0.02363
Sigma 1.003
pullPhi
Std Dev 1.197
Constant 0.07661
Mean −0.02281
Sigma 1.003
pullPhi
Std Dev 1.197
Constant 0.07662
Mean −0.02342
Sigma 1.003
pullPhi
Std Dev 1.197
Constant 0.07662
Mean −0.0232
Sigma 1.003
Ratio
pull of θ parameter
pullTheta
Std Dev 1.012
Constant 0.09042
Mean −0.004362
Sigma 0.852
pullTheta
Std Dev 1.012
Constant 0.09044
Mean −0.004784
Sigma 0.8518
pullTheta
Std Dev 1.012
Constant 0.09043
Mean −0.003992
Sigma 0.8519
pullTheta
Std Dev 1.012
Constant 0.09042
Mean −0.004362
Sigma 0.852
pullTheta
Std Dev 1.012
Constant 0.09044
Mean −0.004525
Sigma 0.8519
Ratio
pull of dxy parameter
pullDxy
Std Dev 1.215
Constant 0.08164
Mean 0.0177
Sigma 0.9366
pullDxy
Std Dev 1.214
Constant 0.08164
Mean 0.01788
Sigma 0.9366
pullDxy
Std Dev 1.216
Constant 0.08165
Mean 0.01711
Sigma 0.9363
pullDxy
Std Dev 1.215
Constant 0.08164
Mean 0.0177
Sigma 0.9366
pullDxy
Std Dev 1.217
Constant 0.08164
Mean 0.01755
Sigma 0.9364
Ratio
pull of dz parameter
pullDz
Std Dev 1.065
Constant 0.09076
Mean 0.0003641
Sigma 0.8427
pullDz
Std Dev 1.065
Constant 0.09078
Mean 0.0007199
Sigma 0.8424
pullDz
Std Dev 1.065
Constant 0.09075
Mean 7.938e−05
Sigma 0.8427
pullDz
Std Dev 1.065
Constant 0.09076
Mean 0.0003641
Sigma 0.8427
pullDz
Std Dev 1.065
Constant 0.09077
Mean 0.0006801
Sigma 0.8426
Ratio