
pull of p_t
pullPt
Std Dev 1.579
Constant 0.06421
Mean 0.03287
Sigma 1.103
pullPt
Std Dev 1.825
Constant 0.03963
Mean −0.1787
Sigma 1.501
pullPt
Std Dev 1.821
Constant 0.03959
Mean −0.1812
Sigma 1.499
pull of qoverp parameter
pullQoverp
Std Dev 1.765
Constant 0.06531
Mean 0.07523
Sigma 1.067
pullQoverp
Std Dev 2.075
Constant 0.04976
Mean 0.1826
Sigma 1.267
pullQoverp
Std Dev 2.071
Constant 0.04964
Mean 0.179
Sigma 1.267
DQM_V0001_R000000001__Global__ctfnew__RECO
DQM_V0001_R000000001__Global__mkFitOriginal__RECO
DQM_V0001_R000000001__Global__mkFitNew__RECO
pull of ϕ parameter
pullPhi
Std Dev 2.011
Constant 0.05943
Mean −0.04489
Sigma 1.107
pullPhi
Std Dev 1.684
Constant 0.05482
Mean −0.04131
Sigma 1.203
pullPhi
Std Dev 1.68
Constant 0.05495
Mean −0.04406
Sigma 1.199
pull of θ parameter
pullTheta
Std Dev 1.289
Constant 0.08644
Mean 0.07313
Sigma 0.8409
pullTheta
Std Dev 1.755
Constant 0.07694
Mean 0.02398
Sigma 0.9108
pullTheta
Std Dev 1.751
Constant 0.07725
Mean 0.02477
Sigma 0.9067
pull of dxy parameter
pullDxy
Std Dev 1.684
Constant 0.06451
Mean 0.05958
Sigma 1.02
pullDxy
Std Dev 1.652
Constant 0.06404
Mean 0.1262
Sigma 1.036
pullDxy
Std Dev 1.648
Constant 0.0643
Mean 0.1315
Sigma 1.033
pull of dz parameter
pullDz
Std Dev 1.317
Constant 0.08882
Mean −0.05434
Sigma 0.8052
pullDz
Std Dev 1.713
Constant 0.079
Mean −0.0943
Sigma 0.7611
pullDz
Std Dev 1.709
Constant 0.07977
Mean −0.09731
Sigma 0.7558
Ratio