




(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(qoverp, qoverp)



(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(qoverp, qoverp) status




(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(qoverp, qoverp) with over and underflow, and sign flip




—●— DQM_correctCheck3_mu_pt0p1to1_eta2p0to2p5
—●— DQM_original_mu_pt0p1to1_eta2p0to2p5


(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(lambda, lambda)




(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(lambda, lambda) status




(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(lambda, lambda) with over and underflow, and sign flip




(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(lambda, dsz)




(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(lambda, dsz) status




(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(lambda, dsz) with over and underflow, and sign flip



(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(phi, phi)



(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(phi, phi) status



(PacketCandidate::bestTrack() - reco::Track)reco::Track in cov(phi, phi) with over and underflow, and sign flip

