




(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(qoverp, qoverp))



(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(qoverp, qoverp) status)




(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(qoverp, qoverp) with over and underflow, and sign flip)




—●— DQM_correctCheck_mu_pt1to1000_eta1p5to2p0
—●— DQM_original_mu_pt1to1000_eta1p5to2p0


(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(lambda, lambda))




(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(lambda, lambda) status)




(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(lambda, lambda) with over and underflow, and sign flip)




(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(lambda, dsz))




(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(lambda, dsz) status)




(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(lambda, dsz) with over and underflow, and sign flip)



(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(phi, phi))



(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(phi, phi) status)



(PacketCandidate::bestTrack() - reco::Track)(reco::Track in cov(phi, phi) with over and underflow, and sign flip)

